



3rd Gen Intel® Atom™, Celeron® Processor Ultra-compact Fanless Box Computer

Features

- Ultra-compact size: 138 x 100 x 57mm (5.43"x 3.94"x 2.24")
- 3rd Gen Intel® Atom™ Processor, Celeron® Processor (formerly Bay Trail)
- Wide-Range DC voltage input: 9V~32V
- Fanless system, aluminum alloy structure
- 2x RJ45 GbE Ethernet
- 4x USB 3.0/2.0 ports
- 8-bit isolated GPI & 8-bit isolated GPO
- 4x RS-232 ports

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

Model	Description
U7-331	<p>U7-333 Fanless Box PC,</p> <p>CPU: Intel® Celeron® N2807 (4x 2GHz, 2MB L2Cache, 10W)</p> <p>Memory: DDR3L 4GB/1333MHz on-board</p> <p>Front Side</p> <ul style="list-style-type: none"> • 1 x HDMI • 4 x USB 3.0/2.0 • 2 x 10/100/1000Mbps Ethernet • 2 x Antenna holes <p>Rear Side</p> <ul style="list-style-type: none"> • 1 x HDD LED • 1 x Isolation GPI/O (8 bit) • 1 x power on/off button • 9-32V Power input <p>Left Side/ Right Side</p> <ul style="list-style-type: none"> • 2 x RS-232/422/485 (Left Side) • 2 x RS-232 (Right Side)
U7-333	<p>U7-333 Fanless Box PC,</p> <p>CPU: Intel® Celeron® N2807 (4x 2GHz, 2MB L2Cache, 10W)</p> <p>Memory: DDR3L 4GB/1333MHz on-board</p> <p>Front Side</p> <ul style="list-style-type: none"> • 1 x HDMI • 4 x USB 3.0/2.0 • 2 x 10/100/1000Mbps Ethernet • 2 x Antenna holes <p>Rear Side</p> <ul style="list-style-type: none"> • 1 x HDD LED • 1 x Isolation GPI/O (8 bit) • 1 x power on/off button • 9-32V Power input <p>Left Side/ Right Side</p> <ul style="list-style-type: none"> • 2 x RS-232 (Right Side)
U7-331T	<p>U7-300T Fanless Box PC,</p> <p>CPU: Intel® Celeron® J1900 (4x 2GHz, 2MB L2Cache, 10W)</p> <p>Memory: DDR3L 4GB/1333MHz on-board</p> <p>Front Side</p> <ul style="list-style-type: none"> • 1 x HDMI • 4 x USB 3.0/2.0 • 2 x 10/100/1000Mbps Ethernet • 2 x Antenna holes <p>Rear Side</p> <ul style="list-style-type: none"> • 1 x HDD LED • 1 x Isolation GPI/O (8 bit) • 1 x power on/off button • 9-32V Power input <p>Left Side/ Right Side</p> <ul style="list-style-type: none"> • 2 x RS-232/422/485 (Left Side) • 1 x VGA (Right Side) • 1 x RS-232 (Right Side)

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

SmartAIO

Model	Description
U7-333T	<p>U7-300T Fanless Box PC,</p> <p>CPU: Intel® Celeron® N2807 (4x 2GHz, 2MB L2Cache, 10W)</p> <p>Memory: DDR3L 4GB/1333MHz on-board</p> <p>Front Side</p> <ul style="list-style-type: none">• 1 x HDMI• 4 x USB 3.0/2.0• 2 x 10/100/1000Mbps Ethernet• 2 x Antenna holes <p>Rear Side</p> <ul style="list-style-type: none">• 1 x HDD LED• 1 x Isolation GPIO (8 bit)• 1 x power on/off button• 9-32V Power input <p>Left Side/ Right Side</p> <ul style="list-style-type: none">• 2 x RS-232/422/485 (Left Side)• 1 x VGA (Right Side)• 1 x RS-232 (Right Side)

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

